Holland*Knight

Tel 813 227 8500 Fax 813 229 0134

Holland & Knight LLP 100 North Tampa Street, Suite 4100 P.O. Box 1288 (ZIP 3360T-1288) Tampa. FL 33602-3644 www.hkdaw.com

RECEIVED CENTRAL FAX CENTER

111.1 0 4 2004

	·	OCT 0 4 :
TO: Kenneth Bomberg, Primary Examiner NAME	U.S. Patent and Trademark Office, Group 3700 COMPANY/FIRM STATE	703-872-9302 FAX NUMBER 793-308-2179 (TELEPHONE NUMBER)
FROM: Stefan V. Stein	(813) 227-6578 TELEPHONE	TOTAL PAGES (Including Cover Shoot)
FOR THE RECORD: DATE: October 4, 2004	URGENCY: SUPER RUSH	RUSH □ REGULAR CLIENT NAME: Halkey-Roberts Corporation
FAXED BY: CONFIRMED: YES NO If you did not receive all of the pages or find that they are illegible, please call 813 227 8500	disclosure. If you are not the intended intraded recipient, you are hereby notified any information contained in or any information contained in or any information.	TIME: This facsimile, along with any documents, files, or that is confidential, privileged, or otherwise exempt from a responsible for delivering it to the recipient or a person responsible for delivering it to the led that any disclosure, copying, printing, distribution or use the delivering it is strictly prohibited. If you have eached to this facsimile is strictly prohibited. If you have immediately notify us by facsimile or by telephone collect at unucleint and its attachments without reading, or the original facsimile and its attachments without reading, or cooperation is appreciated. Thank you.

MESSAGE:

Attached: Election in response to Sept. 2, 2004

Please call my secretary, Sheila Pitts if you do not receive all of the attachments.

2298591_v1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT(S):

Glenn H. Mackal and Lyman W. Fawcett, Jr.

SERIAL NUMBER:

10/681,580

MECEIVED CENTRAL FAX CENTE

FILED:

October 6, 2003

OCT 0 4 2004

FOR:

BOBBIN FOR AUTOMATIC INFLATOR

GROUP ART UNIT:

3754

ATTORNEY DOCKET NO.:

380804.00116

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT A

Sir:

This is in response to the Office Action dated September 2, 2004 in regard to the above-referenced application. In response thereto, please amend the application as follows:

REMARKS

The Examiner has required a restriction "under 35 U.S.C. 121". In response thereto, Applicants elect Group I with traverse, directed to an inflator. Applicants further elect, with traverse, the species of Claims 1, 2, 3, 5, 6, 9 as illustrated in Figures 2A-2C. The restrictions are made with traverse since it is respectfully believed that a search involving the inventions would cover all of the inventions and therefore there is no additional burden on the Office.